Geotechnical Testing Journal
Table of Contents, Volume 2
1979

No. 1, March

Use of the Osmotic Tensiometer to Measure Negative Pore Water Pressure—K. A. BOCKING AND D. G. FREDLUND 3
Strength Testing of Compacted Shale—R. A. ABEYESEKERA, C. W. LOVELL, AND L. E. WOOD 11
Fluid Cushion Truly Triaxial or Multiaxial Testing Device—STEIN STURE AND C. S. DESAI 20
Estimation of Consolidation Properties of Clay from Field Observations—J. H. PELLETIER, R. E. OLSON, AND J. J. RIXNER 34
Metal Versus Nonwoven Fiber Fabric Earth Reinforcement in Dry Sands: A Comparative Statistical Analysis of Model Tests—M. T. TUMAY, MARIO ANTONINI, AND ARA ARMAN 44
A Stress-Controlled Study of Swelling Characteristics of Compacted Expansive Clays—V. DAKSHANAMURTHY 57
Discussion of "Minimum and Maximum Densities of Granular Materials" by G. R. Mehdiratta and G. E. Triandafilidis—J. R. BOYCE 61

No. 2, June

A Hydraulic Tensile Test with Zero Transverse Strain for Geotechnical Fabrics—G. RAUMANN 69
Determination of Attenuation and Penetration Depth of Microwaves in Soil—A. E. LORD, JR., R. M. KOERNER, AND J. S. REIF 77
North American Experience in Sampling and Laboratory Dynamic Testing—H. M. HORN 84
Multistage Triaxial Testing of Rocks—MYOUNG MO KIM AND HON-YIM KO 98
A Compilation of Cyclic Triaxial Liquefaction Test Data—J. M. FERRITO, J. B. FORREST, AND GEORGE WU 106
Problems Associated with Permeability Tests of Shells—R. A. SE GALL AND ARA ARMAN 114
Discussion of "Normalized Deformation Parameters for Kaolin" by H. G. Poulos—P. W. MAYNE 118

No. 3, September

A Laboratory Method of Measuring In-Situ Density Distribution in Dry Sand—GURDEV SINGH, J. ERGATOUDIS, AND B. S. SIAH 129
Sampling and In-Situ Density of a Saturated Gravel Deposit—R. P. VALLEE AND R. S. SKRYNESS 136
A Special Pressure Meter and Pressure Meter Test for Pavement Evaluation and Design—JEAN-LOUIS BRIAUD AND D. H. SHIELDS 143
Suggested Method for the Calibration of Vibrating Tables for Maximum Index Density Testing—L. P. KAUFMAN, E. A. STRICKLAND, AND A. A. BENAVIDEZ 152
Suggested Test Method for Determination of Degree of Saturation of Soil Samples by *B* Value Measurement—R. C. CHANEY, EDWARD STEVENS, AND NIRANJAN SHETH 158
A Laboratory Method for Preparation of a Layered Soil System—MOGILI KRISHNA MURTHY, T. S. NAGARAJ, AND ASURI SRIDHARAN 163
Determination of Permeability Anisotropy in a Two-Way Permeameter—P. J. MOORE 167
Discussion of "Some Effects of Test Configuration on Measured Soil Properties Under Cyclic Loading" by Robert Pyke—F. C. TOWNSEND AND P. A. GILBERT 170

No. 4, December

Automated Data Acquisition, Transducers, and Dynamic Recording for the Geotechnical Laboratory—M. L. SILVER 185
A New Direct Simple Shear Device—EBERHARD FRANKE, MANFRED KIEKBUSCH, AND BERND SCHUPPENER 190
Strength and Stiffness of Silicate Grouted Sand with Different Stress Histories—R. H. BORDEN, D. C. DIEFENTHAL, W. H. BAKER, AND R. J. KRIZEK 200
Comparisons of Field Density Test Results—T. J. KADERABEK AND W. R. FERRIS 206
On the Determination of Stress State in the Simple Shear Apparatus—D. M. WOOD, ANDRZEJ DRESCHER, AND MUNIRAM BUDHU 211
Small-Scale Testing of Soils for Frost Action—J. M. SAYWARD 223

Geotechnical Testing Journal
Table of Contents, Volume 2
1979

No. 1, March

Use of the Osmotic Tensiometer to Measure Negative Pore Water Pressure—K. A. BOCKING AND D. G. FREDLUND 3
Strength Testing of Compacted Shale—R. A. ABEYESEKERA, C. W. LOVELL, AND L. E. WOOD 11
Fluid Cushion Truly Triaxial or Multiaxial Testing Device—STEIN STURE AND C. S. DESAI 20
Estimation of Consolidation Properties of Clay from Field Observations—J. H. PELLETIER, R. E. OLSON, AND J. J. RIXNER 34
Metal Versus Nonwoven Fiber Fabric Earth Reinforcement in Dry Sands: A Comparative Statistical Analysis of Model Tests—M. T. TUMAY, MARIO ANTONINI, AND ARA ARMAN 44
A Stress-Controlled Study of Swelling Characteristics of Compacted Expansive Clays—V. DAKSHANAMURTHY 57
Discussion of "Minimum and Maximum Densities of Granular Materials" by G. R. Mehdiratta and G. E. Triandafilidis—J. R. BOYCE 61

No. 2, June

A Hydraulic Tensile Test with Zero Transverse Strain for Geotechnical Fabrics—G. RAUMANN 69
Determination of Attenuation and Penetration Depth of Microwaves in Soil—A. E. LORD, JR., R. M. KOERNER, AND J. S. REIF 77
North American Experience in Sampling and Laboratory Dynamic Testing—H. M. HORN 84
Multistage Triaxial Testing of Rocks—MYOUNG MO KIM AND HON-YIM KO 98
A Compilation of Cyclic Triaxial Liquefaction Test Data—J. M. FERRITO, J. B. FORREST, AND GEORGE WU 106
Problems Associated with Permeability Tests of Shells—R. A. SE GALL AND ARA ARMAN 114
Discussion of "Normalized Deformation Parameters for Kaolin" by H. G. Poulos—P. W. MAYNE 118

No. 3, September

A Laboratory Method of Measuring In-Situ Density Distribution in Dry Sand—GURDEV SINGH, J. ERGATOUDIS, AND B. S. SIAH 129
Sampling and In-Situ Density of a Saturated Gravel Deposit—R. P. VALLEE AND R. S. SKRYNESS 136
A Special Pressure Meter and Pressure Meter Test for Pavement Evaluation and Design—JEAN-LOUIS BRIAUD AND D. H. SHIELDS 143
Suggested Method for the Calibration of Vibrating Tables for Maximum Index Density Testing—L. P. KAUFMAN, E. A. STRICKLAND, AND A. A. BENAVIDEZ 152
Suggested Test Method for Determination of Degree of Saturation of Soil Samples by *B* Value Measurement—R. C. CHANEY, EDWARD STEVENS, AND NIRANJAN SHETH 158
A Laboratory Method for Preparation of a Layered Soil System—MOGILI KRISHNA MURTHY, T. S. NAGARAJ, AND ASURI SRIDHARAN 163
Determination of Permeability Anisotropy in a Two-Way Permeameter—P. J. MOORE 167
Discussion of "Some Effects of Test Configuration on Measured Soil Properties Under Cyclic Loading" by Robert Pyke—F. C. TOWNSEND AND P. A. GILBERT 170

No. 4, December

Automated Data Acquisition, Transducers, and Dynamic Recording for the Geotechnical Laboratory—M. L. SILVER 185
A New Direct Simple Shear Device—EBERHARD FRANKE, MANFRED KIEKBUSCH, AND BERND SCHUPPENER 190
Strength and Stiffness of Silicate Grouted Sand with Different Stress Histories—R. H. BORDEN, D. C. DIEFENTHAL, W. H. BAKER, AND R. J. KRIZEK 200
Comparisons of Field Density Test Results—T. J. KADERABEK AND W. R. FERRIS 206
On the Determination of Stress State in the Simple Shear Apparatus—D. M. WOOD, ANDRZEJ DRESCHER, AND MUNIRAM BUDHU 211
Small-Scale Testing of Soils for Frost Action—J. M. SAYWARD 223

Geotechnical Testing Journal
Index to Volume 2
1979

Number	Month of Issue	Pages
1	March	1-68
2	June	69-128
3	September	129-184
4	December	185-240

A - C

Abeyesekera, R. A., Lovell, C. W., and Wood, L. E.: Strength testing of compacted shale, March, 11

Anisotropy: Discussion of "some effects of test configuration on measured soil properties under cyclic loading" by Robert Pyke (Townsend and Gilbert), Sept., 170

Antonini, M.: *see* Tumay, M. T., Antonini, M., and Arman, A.

Arman, A.
see SeGall, R. A. and Arman, A.
see Tumay, M. T., Antonini, M., and Arman, A.

Attenuation: Determination of attenuation and penetration depth of microwaves in soil (Lord, Koerner, and Reif), June, 77

Baker, W. H.: *see* Diefenthal, D. C., Borden, R. H., Baker, W. H., and Krizek, R. J.

Benavidez, A. A.: *see* Kaufman, L. P., Strickland, E. A., and Benavidez, A. A.

Bocking, K. A. and Fredlund, D. G.: Use of the osmotic tensiometer to measure negative pore water pressure, March, 3

Borden, R. H.: *see* Diefenthal, D. C., Borden, R. H., Baker, W. H., and Krizek, R. J.

Boyce, J. R.: Discussion of "minimum and maximum densities of granular materials" by G. R. Mehdiratta and G. E. Triandafilidis, March, 61

Briaud, J-L. and Shields, D. H.: Special pressure meter and pressure meter test for pavement evaluation and design, Sept., 143

Budhu, M.: *see* Wood, D. M., Drescher, A., and Budhu, M.

Chaney, R. C., Stevens, E., and Sheth, N.: Suggested test method for determination of degree of saturation of soil samples by *B* value measurement, Sept., 158

Chemical grouts: Strength and stiffness of silicate grouted sand with different stress histories (Diefenthal, Borden, Baker, and Krizek), Dec., 200

Clam shells: Problems associated with permeability tests of shells (SeGall and Arman), June, 114

Clays
Discussion of "normalized deformation parameters for kaolin" by H. G. Poulos (Mayne), June, 118
Fluid cushion truly triaxial or multiaxial testing device (Sture and Desai), March, 20

Cohesion: Multistage triaxial testing of rocks (Kim and Ko), June, 98

Cohesionless soils: Suggested method for the calibration of vibrating tables for maximum index density testing (Kaufman, Strickland, and Benavidez), Sept., 152

Compaction
Comparisons of field density test results (Kaderabek and Ferris), Dec., 206
Strength testing of compacted shale (Abeyesekera, Lovell, and Wood), March, 11

Computers: Automated data acquisition, transducers, and dynamic recording for the geotechnical testing laboratory (Silver), Dec., 185

Consolidation: Estimation of consolidation properties of clay from field observations (Pelletier, Olson, and Rixner), March, 34

Constant-head permeameter: Determination of permeability anisotropy in a two-way permeameter (Moore), Sept., 167

Creep: Hydraulic tensile test with zero transverse strain for geotechnical fabrics (Raumann), June, 69

D - G

Dakshanamurthy, V.: Stress-controlled study of swelling characteristics of compacted expansive clays, March, 57

Deformation: Discussion of "normalized deformation parameters for kaolin" by H. G. Poulos (Mayne), June, 118

Density
Discussion of "minimum and maximum densities of granular materials" by G. R. Mehdiratta and G. E. Triandafilidis (Boyce), March, 61
Laboratory method of measuring in-situ density distribution in dry sand (Singh, Ergatoudis, and Siah), Sept., 129
Sampling and in-situ density of a saturated gravel deposit (Vallee and Skryness), Sept., 136

Desai, C. S.: *see* Sture, S. and Desai, C. S.

Diefenthal, D. C., Borden, R. H., Baker, W. H., and Krizek, R. J.: Strength and stiffness of silicate grouted sand with different stress histories, Dec., 200

Direct shear tests: New direct simple shear device (Franke, Kiekbusch, and Schuppener), Dec., 190

Drescher, A.: *see* Wood, D. M., Drescher, A., and Budhu, M.

Drill holes: North American experience in sampling and laboratory dynamic testing (Horn), June, 84

Dynamics: North American experience in sampling and laboratory dynamic testing (Horn), June, 84

Earthquakes: Compilation of cyclic triaxial liquefaction test data (Ferrito, Forrest, and Wu), June, 106

Ergatoudis, J.: *see* Singh, G., Ergatoudis, J., and Siah, B. S.

Ferris, W. R.: *see* Kaderabek, T. J. and Ferris, W. R.

Ferrito, J. M., Forrest, J. B., and Wu, G.: Compilation of cyclic triaxial liquefaction test data, June, 106

Field tests
Comparisons of field density test results (Kaderabek and Ferris), Dec., 206
Special pressure meter and pressure meter test for pavement evaluation and design (Briaud and Shields), Sept., 143

Filter stones: Problems associated with permeability tests of shells (SeGall and Arman), June, 114

Forrest, J. B.: *see* Ferrito, J. M., Forrest, J. B., and Wu, G.

Franke, E., Kiekbusch, M., and Schuppener, B.: New direct simple shear device, Dec., 190

Fredlund, D. G.: *see* Bocking, K. A. and Fredlund, D. G.

Frost action: Small-scale testing of soils for frost action (Sayward), Dec., 223

Frost heave: Small-scale testing of soils for frost action (Sayward), Dec., 223

Geotechnical fabrics: Metal versus nonwoven fiber fabric earth reinforcement in dry sands: a comparative statistical analysis of model tests (Tumay, Antonini, and Arman), March, 44

Gilbert, P. A.: *see* Townsend, F. C. and Gilbert P. A.

Granular materials: Discussion of "minimum and maximum densities of granular ma-

terials" by G. R. Mehdiratta and G. E. Triandafilidis (Boyce), March, 61

H - O

Horn, H. M.: North American experience in sampling and laboratory dynamic testing, June, 84

Instrumentation
- Automated data acquisition, transducers, and dynamic recording for the geotechnical testing laboratory (Silver), Dec., 185
- Use of the osmotic tensiometer to measure negative pore water pressure (Bocking and Fredlund), March, 3

Kaderabek, T. J. and Ferris, W. R.: Comparisons of field density test results, Dec., 206

Kaufman, L. P., Strickland, E. A., and Benavidez, A. A.: Suggested method for the calibration of vibrating tables for maximum index density testing, Sept., 152

Kiekbusch, M.: *see* Franke, E., Kiekbusch, M., and Schuppener, B.

Kim, M. M. and Ko, H-Y.: Multistage triaxial testing of rocks, June, 98

Ko, H-Y.: *see* Kim, M. M. and Ko, H-Y.

Koerner, R. M.: *see* Lord, A. E., Jr., Koerner, R. M., and Reif, J. S.

Krishna Murthy, M., Nagaraj, T. S., and Sridharan, A.: Laboratory Method for Preparation of a Layered Soil System, Sept., 163

Krizek, R. J.: *see* Diefenthal, D. C., Borden, R. H., Baker, W. H., and Krizek, R. J.

Laboratory equipment: On the determination of stress state in the simple shear apparatus (Wood, Drescher, and Budhu), Dec., 211

Layered systems: Laboratory method for preparation of a layered soil systems (Krishna Murthy, Nagaraj, and Sridharan), Sept., 163

Liquefaction: Compilation of cyclic triaxial liquefaction test data (Ferrito, Forrest, and Wu), June, 106

Lord, A. E, Jr., Koerner, R. M., and Reif, J. S.: Determination of attenuation and penetration depth of microwaves in soil, June, 77

Lovell, C. W.: *see* Abeyesekera, R. A., Lovell, C. W., and Wood, L. E.

Maximum dry density: Suggested method for the calibration of vibrating tables for maximum index density testing (Kaufman, Strickland, and Benavidez), Sept., 152

Mayne, P. W.: Discussion of "normalized deformation parameters for kaolin" by H. G. Poulos, June, 118

Microwaves: Determination of attenuation and penetration depth of microwaves in soil (Lord, Koerner, and Reif), June, 77

Mohr failure theory: Multistage triaxial testing of rocks (Kim and Ko), June, 98

Moisture content: Comparisons of field density test results (Kaderabek and Ferris), Dec., 206

Moore, P. J.: Determination of permeability anisotropy in a two-way permeameter, Sept., 167

Nagaraj, T. S.: *see* Krishna Murthy, M., Nagaraj, T. S., and Sridharan, A.

Nondestructive tests: Determination of attenuation and penetration depth of microwaves in soil (Lord, Koerner, and Reif), June, 77

Normal stress: Stress-controlled study of swelling characteristics of compacted expansive clays (Dakshanamurthy), March, 57

Olson, R. E.: *see* Pelletier, J. H., Olson, R. E., and Rixner, J. J.

P - R

Pavements: Special pressure meter and pressure meter test for pavement evaluation and design (Briaud and Shields), Sept., 143

Pelletier, J. H., Olson, R. E., and Rixner, J. J.: Estimation of consolidation properties from field observations, March, 34

Penetration tests: Sampling and in-situ density of a saturated gravel deposit (Vallee and Skryness), Sept., 136

Permeability: Determination of permeability anisotropy in a two-way permeameter (Moore), Sept., 167

Piezometers: Use of the osmotic tensiometer to measure negative pore water pressure (Bocking and Fredlund), March, 3

Pore pressures: Suggested test method for determination of degree of saturation of soil samples by *B* value measurement (Chaney, Stevens, and Sheth), Sept., 158

Pore water pressures
- New direct simple shear device (Franke, Kiekbusch, and Schuppener), Dec., 190
- Use of the osmotic tensiometer to measure negative pore water pressure (Bocking and Fredlund), March, 3

Porous materials: Problems associated with permeability tests of shells (SeGall and Arman), June, 114

Pressure-measuring instruments: Special pressure meter and pressure meter test for pavement evaluation and design (Briaud and Shields), Sept., 143

Raumann, G.: Hydraulic tensile test with zero transverse strain for geotechnical fabrics, June, 69

Recording systems: Automated data acquisition, transducers, and dynamic recording for the geotechnical testing laboratory (Silver), Dec., 185

Reif, J. S.: *see* Lord, A. E., Jr., Koerner, R. M., and Reif, J. S.

Rixner, J. J.: *see* Pelletier, J. H., Olson, R. E., and Rixner, J. J.

Relative density: Suggested method for the calibration of vibrating tables for maximum index density testing (Kaufman, Strickland, and Benavidez), Sept., 152

Retaining walls: Metal versus nonwoven fiber fabric earth reinforcement in dry sands: a comparative statistical analysis of model tests (Tumay, Antonini, and Arman), March, 44

S

Sand drains: Estimation of consolidation properties of clay from field observations (Pelletier, Olson, and Rixner), March, 34

Sands
- Fluid cushion truly triaxial or multiaxial testing device (Sture and Desai), March, 20
- Laboratory method of measuring in-situ density distribution in dry sand (Singh, Ergatoudis, and Siah), Sept., 129
- Metal versus nonwoven fiber fabric earth reinforcement in dry sands: a comparative statistical analysis of model tests (Tumay, Antonini, and Arman), March, 44

Saturation: Suggested test method for determination of degree of saturation of soil samples by *B* value measurement (Chaney, Stevens, and Sheth), Sept., 158

Sayward, J. M.: Small-scale testing of soils for frost action, Dec., 223

Schuppener, B.: *see* Franke, E., Kiekbusch, M., and Schuppener, B.

Sedimentation: Laboratory method for preparation of a layered soil system (Krishna Murthy, Nagaraj, and Sridharan), Sept., 163

Seepage: Determination of permeability anisotropy in a two-way permeameter (Moore), Sept., 167

SeGall, R. A. and Arman, A.: Problems associated with permeability tests of shells, June, 114

Settlement: Estimation of consolidation properties of clay from field observations (Pelletier, Olson, and Rixner), March, 34

Shales: Strength testing of compacted shale (Abeyesekera, Lovell, and Wood), March, 11

Shear apparatus: On the determination of stress state in the simple shear apparatus (Wood, Drescher, and Budhu), Dec., 211

Shear strength: Discussion of "normalized deformation parameters for kaolin" by H. G. Poulos (Mayne), June, 118

Shear stress: On the determination of stress state in the simple shear apparatus (Wood, Drescher, and Budhu), Dec., 211

Shear tests: Discussion of "some effects of test configuration on measured soil properties under cyclic loading" by Robert Pyke (Townsend and Gilbert), Sept., 170

Sheth, N.: *see* Chaney, R. C., Stevens, E., and Sheth, N.

Shields, D. H.: *see* Briaud, J-L. and Shields, D. H.

Siah, B. S.: *see* Singh, G., Ergatoudis, J., and Siah, B. S.

Silver, M. L.: Automated data acquisition, transducers, and dynamic recording for the geotechnical testing laboratory, Dec., 185

Singh, G., Ergatoudis, J., and Siah, B. S.: Laboratory method of measuring in-situ density distribution in dry sand, Sept., 129

Skryness, R. S.: *see* Vallee, R. P. and Skryness, R. S.

Slaking: Strength testing of compacted shale (Abeyesekera, Lovell, and Wood), March, 11

Soil samplers
- Laboratory method for preparation of a layered soil system (Krishna Murthy, Nagaraj, and Sridharan), Sept., 163
- North American experience in sampling and laboratory dynamic testing (Horn), June, 84
- Sampling and in-situ density of a saturated gravel deposit (Vallee and Skryness), Sept., 136

Soil stabilization: Strength and stiffness of silicate grouted sand with different stress histories (Diefenthal, Borden, Baker, and Krizek), Dec., 200

Soil treatment: Small-scale testing of soils for frost action (Sayward), Dec. 223
Sridharan, A.: *see* Krishna Murthy, M., Nagaraj, T. S., and Sridharan, A.
Stevens, E.: *see* Chaney, R. C., Stevens, E., and Sheth, N.
Stiffness: Strength and stiffness of silicate grouted sand with different stress histories (Diefenthal, Borden, Baker, and Krizek), Dec., 200
Stress-strain curves: Hydraulic tensile test with zero transverse strain for geotechnical fabrics (Raumann), June, 69
Strickland, E. A.: *see* Kaufman, L. P., Strickland, E. A., and Benavidez, A. A.
Sture, S. and Desai, C. S.: Fluid cushion truly triaxial or multiaxial testing device, March, 20
Swelling pressure: A stress-controlled study of swelling characteristics of compacted expansive clays (Dakshanamurthy), March, 57

T - Z

Tensile strength: Hydraulic tensile test with zero transverse strain for geotechnical fabrics (Raumann), June, 69
Thermal conductivity: Laboratory method of measuring in-situ density distribution in dry sand (Singh, Ergatoudis, and Siah), Sept., 129
Townsend, F. C. and Gilbert, P. A.: Discussion of "some effects of test configuration on measured soil properties under cyclic loading" by Robert Pyke, Sept., 170
Triaxial tests
Compilation of cyclic triaxial liquefaction test data (Ferrito, Forrest, and Wu), June, 106
Discussion of "some effects of test configuration on measured soil properties under cyclic loading" by Robert Pyke (Townsend and Gilbert), Sept., 170
Fluid cushion truly triaxial or multiaxial testing device (Sture and Desai), March, 20
Multistage triaxial testing of rocks (Kim and Ko), June, 98
Stress-controlled study of swelling characteristics of compacted expansive clays (Dakshanamurthy), March, 57
Suggested test method for determination of degree of saturation of soil samples by *B* value measurement (Chaney, Stevens, and Sheth), Sept., 158
Tumay, M. T., Antonini, M., and Arman, A.: Metal versus nonwoven fiber fabric earth reinforcement in dry sands: a comparative statistical analysis of model tests, March, 44
Undrained shear tests: New direct simple shear device (Franke, Kiekbusch, and Schuppener), Dec., 190
Vallee, R. P. and Skryness, R. S.: Sampling and in-situ density of a saturated gravel deposit, Sept., 136
Vibratory compaction: Discussion of "minimum and maximum densities of granular materials" by G. R. Mehdiratta and G. E. Triandafilidis (Boyce), March, 61
Wood, D. M., Drescher, A., and Budhu, M.: On the determination of stress state in the simple shear apparatus, Dec., 211
Wood, L. E.: *see* Abeyesekera, R. A., Lovell, C. W., and Wood, L. E.
Wu, G.: *see* Ferrito, J. M., Forrest, J. B., and Wu, G.